

# PACKAGING EQUIPMENT

[www.handleitinc.com](http://www.handleitinc.com)

 **HANDLE IT<sup>®</sup>**





# Handle It® Stretch Wrap Machines

## SA Series

### Low-Profile Semi-Automatic Stretch Wrap Machines

#### **Model 600**

The Handle It® Model 600 is designed for those who are currently hand wrapping their pallets and need a more efficient solution.

Designed for low to moderate use at a very affordable price. The 600 is a true semi-automatic with an auto pallet height sensor. The user-friendly control panel allows you to easily adjust the top & bottom wraps, turntable speed, carriage speed, and photo cell delay.

#### **FEATURES & BENEFITS**

- Max Load Size: 48"W x 72"L x 86"H
- Max Load Weight: 3,000 lbs
- Max Average: 35 Pallets per day
- Simple, user-friendly controls
- Auto Pallet Height Sensor
- Mechanical film tensioner
- 110V Plug-In power source
- Variable Speed Turntable (3-12 RPM)
- Forklift Portable
- 3 Programmable Settings
- Stocked in Wisconsin



#### **Model 800**

The Handle It® Model 800 is a mid-level machine, ideal for those wrapping an average of 100 pallets per day.

It is designed for moderate use applications with an electronic film tensioner. The 800 is a true semi-automatic with an auto pallet height sensor. The user-friendly control panel allows you to easily adjust the top & bottom wraps, turntable speed, carriage speed, and photo cell delay.

"Playback Mode" allows you to record exact steps taken to wrap a load, save it, then use that "Playback Mode" again.

#### **FEATURES & BENEFITS**

- Max Load Size: 48"W x 72"L x 86"H
- Max Load Weight: 4,400 lbs
- Max average: 100 pallets per day
- Electronic film tensioner
- Customizable "Playback" mode
- Variable Speed Turntable (3-12 RPM)
- Forklift Portable
- Rack & Pinion carriage drive track
- Stocked in Wisconsin





# Handle It® Stretch Wrap Machines

## SA Series

### Low-Profile Semi-Automatic Stretch Wrap Machines

#### Model 850PS



The Handle It Model 850PS is designed for moderate to heavy use applications where film savings is a concern. Powered pre-stretch carriage allows for up to 250% film prestretch. This unit is a true semi-automatic with an auto pallet height sensor. Equipped with a user-friendly control panel to allow customization of wrap cycles.

“Playback mode” allows you to record exact steps taken to wrap a load, save it, then use that “Playback Mode” again.

#### FEATURES & BENEFITS

- Max Load Size: 48”W x 72”L x 86”H
- Max Load Weight: 4,400 lbs
- Max average: 100 pallets per day
- Electronic film tensioner (up to 250% prestretch)
- 9 Programmable modes
- Customizable “Playback” mode
- Variable Speed Turntable (3-12 RPM)
- Forklift Portable
- Rack & Pinion carriage drive track
- Stocked in Wisconsin

#### Model 1100AC



The Handle It® Model 1100AC is the workhorse of the SA Series; ideal for those wrapping an average of 300 pallets per day.

It is designed for heavy use applications with a 250% power prestretch carriage and auto cutoff as standard features. The 1100AC is durable, efficient, and highly customizable. Perfect for standard heavy usage wraps, but with the flexibility for highly complex wrapping solutions.

#### FEATURES & BENEFITS

- Max Load Size: 48”W x 72”L x 86”H
- Max load weight: 4,400 lbs
- Max average: 300 pallets per day
- Auto Cutoff comes standard
- USB port to upload software, download settings, reports and statistics
- 32 programmable modes
- Electronic Film Tensioner (up to 250% prestretch)
- Variable Speed Turntable (3-12 RPM)
- Forklift Portable
- 110V Plug-in power source
- Stocked in Wisconsin

# Handle It® Stretch Wrap Machines

## SA Series

Low-Profile Semi-Automatic Stretch Wrap Machines

### Model 1100AA-C

The Handle It Model 1100AA-C is designed for high-volume, heavy use applications where film savings and automation are concerns.

It is designed for high-volume applications with auto cutoff & auto attach as standard features. Perfect for standard or complex wrapping solutions.

#### FEATURES & BENEFITS

- Max Load Size: 48"W x 72"L x 86"H
- Max load weight: 4,400 lbs
- Max average: 300 pallets per day
- Auto Cutoff feature
- Auto-Attach feature (requires air supply; remote control included)
- USB port to upload software, download settings, reports and statistics
- 32 programmable modes
- Electronic Film Tensioner (up to 250% prestretch)
- Variable Speed Turntable (3-12 RPM)
- Forklift Portable
- 110V Plug-in power source
- Call for production lead time; FOB Wisconsin




### Model 1200UL

The Handle It® Model 1200UL is equipped with the lowest turntable available, at just 0.70" tall! Perfect for loading with pallet jacks and reducing the trip hazard risk in the warehouse.

Ideal for those wrapping an average of 200 pallets per day. It is designed for moderate to heavy use applications with an electronic film tensioner. The 1200UL is a true semi-automatic with an auto pallet height sensor. The user-friendly control panel allows you to easily adjust the parameters.

#### FEATURES & BENEFITS

- Max Load Size: 48"W x 72"L x 86"H
- Max load weight: 3,300 lbs
- 0.70" turntable height
- 3 sided ramp; 8" depth - included
- Max average: 200 pallets per day
- USB port to upload software, download settings, reports and statistics
- 32 programmable modes
- Electronic Film Tensioner (up to 250% prestretch)
- Variable Speed Turntable (3-12 RPM)
- 110V Plug-in power source
- 3 sided skirting for easy loading with pallet jacks
- Stocked in Wisconsin





# Handle It® Stretch Wrap Machines

## SA Series

Low-Profile Semi-Automatic Stretch Wrap Machines

### SA Series - Optional Add-Ons

#### Extended Max Wrapping Height - up to 98"

- available on models: 800 & 850PS

Model Number	Description
SWM-SA-0800XHT	98" Extended Mast Height - Model 800
SWM-SA-0850XHT	98" Extended Mast Height - Model 850PS

#### Extended Max Wrapping Height - up to 118"

- available on models: 1100AC & 1100AA-C

Model Number	Description
SWM-SA-1100ACXH	118" Extended Mast Height - Model 1100AC
SWM-SA-1100AAXH	118" Extended Mast Height - Model 1100AA-C

#### Integrated Scale with Digital Readout

- Handle It turntable-style stretch wrap machines can be outfitted with a factory installed scale package.

The scale is integrated into the frame of the unit and a digital display is mounted onto the mast to accurately show the pallet weight.

Model Number	Description	Weight (lbs.)
SWS-0850-ASM	Integrated Scale for Models 600, 800 & 850PS	185
SWS-1100-ASM	Integrated Scale for Models 1100AC & 1100AA-C	75



Extended Wrap Heights



Digital Scale Display

#### Variable Power Pre-Stretch Carriage (600%)

- available on models: 1100AC, 1100AA-C & 1200UL

#### Photocell for dark or reflective loads

- available on models: 600, 800, 850PS, 1100AC, 1100AA-C & 1200UL

#### Carriage Roping System

- available on models: 1100AC, 1100AA-C & 1200UL

#### Top Press

- available on models: 1100AC, 1100AA-C & 1200UL

#### Extended Frames

- available on models: 1100AC & 1100AA-C



Variable Power Prestretch Carriage

# Handle It® Stretch Wrap Machines

## SA Series

Low-Profile Semi-Automatic Stretch Wrap Machines

### SA Series - Optional Add-Ons (continued)

#### Machine Grade Stretch Wrap Film

Handle It offers a premium, 20" wide, machine-grade stretch wrap film. Our film provides up to 250% prestretch and is readily available in 3 different gauges to fit your specific needs.

- Heavy, cast film. Ideal for Handle-It Stretch Wrap Machines
- In stock - ships from Milwaukee, WI
- Sold by the roll, case (4 pack), or pallet load (50 rolls)



Item Number	Description	Weight per Roll (lbs.)
SWMF-20-140-30	3,000' length, 140 Gauge	40
SWMF-20-70-60	6,000' length, 70 Gauge	34
SWMF-20-63-50	5,000' length, 63 Gauge	25

#### Pallet Jack Ramps

Handle It offers 3 different types of ramps for our turntable-style stretch wrap machines that create ease of use.

- Enables job-specific applications
- Allows for loading with manual pallet jacks or powered pallet jacks
- Load integrated scale equipped stretch wrappers with ease



Model Number	Description	Weight (lbs)
SWM-SA-STDRMP	Standard Ramp	135
SWM-SA-SCLRMP	Scale Ramp <i>*for use with Stretch Wrappers with Integrated Scale</i>	315
SWM-SA-EXDRMP	Extended Ramp <i>*for use with Powered Pallet Jacks</i>	315



# Handle It® Stretch Wrap Machines

## RA Series

### Rotating Arm Stretch Wrap Machines

The RA (Rotating Arm) Series is a line of semi-automatic machines that allow for the pallet to be stationary while the film carriage rotates around the pallet, wrapping it to the desired requirements. This is opposite the turntable style machine in which the pallet rotates on the turntable while the carriage moves vertically.

Rotating arm stretch wrappers are on a fixed pedestal mount and bolted directly into the floor for a secure setup. 110V plug-in power source makes it easy to install and integrate into packaging operations in any facility.

A rotary arm style machine is the best solution in the following scenarios:

- Extremely heavy loads (over 5,000 lbs)
- Very light pallet loads
- Unstable pallet loads
- Tall pallets (up to 94")
- Washdown environment

## Model 2200



The Handle It® Model 2200 is our introductory model to the Rotating Arm series. It allows you all the advantages of a rotating arm stretch wrap machine at an affordable price.

### FEATURES & BENEFITS

- Max load size: 43" x 48" x 94" (64" diagonal)
- Fixed pedestal mount
- 110V plug-in
- Photo eye auto pallet height sensor
- Power prestretch carriage (up to 250%)
- Safety stop loop at base
- Stop at 0 position
- 9 adjustable parameters
- 6 working cycles
- 32 end user program storage
- Wrapped pallet counter
- Rack & pinion carriage drive track
- Call for production lead time; FOB WI
- Overall dimensions: 125" length x 113" width x 140" height

### MAIN OPTIONS

- Adjustable power prestretch carriage (600%)
- Auto-cutoff system
- Roping system
- 118" max wrap height
- Remote control
- Photo cell for dark or reflective loads
- Upgraded arm for 48" x 48" loads



# Handle It® Stretch Wrap Machines

## RA Series

Low-Profile Semi-Automatic Stretch Wrap Machines

### Model 2300

The Handle It® Model 2300 is a semi-automatic machine designed to function at an automatic production rate. The solid, well-built frame was created with quick and easy installation in mind without sacrificing the durability of a machine used for high volumes of pallet wrapping.

### FEATURES & BENEFITS

- Max load size: 48" x 48" x 94" (64" diagonal)
- Fixed pedestal mount
- 110V plug-in
- Photo eye auto pallet height sensor
- Power prestretch carriage (up to 250%)
- Safety stop loop at base
- Stop at 0 position
- 9 adjustable parameters
- 6 working cycles
- 32 end user program storage
- Wrapped pallet counter
- Rack & pinion carriage drive track
- Call for production lead time; FOB WI
- Overall dimensions: 181" length x 121" width x 122" height



### MAIN OPTIONS

- Adjustable power prestretch carriage (600%)
- Auto-cutoff system
- Roping system
- 118" max wrap height
- Remote control
- Photo cell for dark or reflective loads

### Option to Fully Automate



Both the Handle It® Model 2200 and Model 2300 stretch wrappers are able to be assembled as fully automated machines.

The integrated system allows the operator to bring the pallet to the machine, and start the wrap cycle with a remote control without ever having to get off the forklift. The film is automatically attached and automatically cut which reduces packaging time and decreases risk of injury.

Model Number	Description
SWM-RA-2200AAC	Model 2200 Stretch Wrapper with Auto-Attach & Auto-Cut
SWM-RA-2300AAC	Model 2300 Stretch Wrapper with Auto-Attach & Auto-Cut



# Handle It® Stretch Wrap Machines

## MR Series

Moble Robot Stretch Wrap Machines

### Model 3000



The Handle It® Model 3000 Mobile Robotic Stretch Wrap Machine is specifically designed to wrap pallets of large/odd size or heavy weight. Robustly built to handle big workloads and actively improve your packaging process.

With the numerous software features, the Model 3000 can be easily customized to your application.

### FEATURES & BENEFITS

- Max load size: 94" tall x unlimited
- Max average: 200 pallets per day
- Speed: 1 - 3 MPH
- Power pre-stretch carriage
- Power supply: 2 x 12V AGM Batteries
- Weight: 880 lbs
- Photocell for pallet height detection
- 4 working cycles: up/down; topsheet; only ascent; only descent
- Call for production lead time; FOB WI

### MAIN OPTIONS

- Auto-cutoff system
- Roping system
- 118" max wrap height
- Remote control
- Photo cell for dark or reflective loads
- Flashing lamp
- Double wheel



### NOTES

---



---



---



---



---



---



---



---



---



---

Handle It, Inc.® also carries a variety of other material handling items. See below for a broad overview. Please contact us or visit our website for more information on these products.

- **Warehouse Impact Protection**

Handle-It® offers an array of warehouse protection solutions. Everything from guard rail, post protectors, rack protectors and more to help protect buildings, pallet rack, machinery, product and personnel.




- **Lift-Rite Titan Pallet Jacks**

Lift Rite Titan pallet jacks set the benchmark for high quality and reliable pallet jacks.


- **Handle It Economy Pallet Jacks**

Our Economy Series Pallet Jacks are suitable for most warehouse applications are designed to be cost effective and reliable.




- **Ergonomic Equipment**

Electric hydraulic or manual pump handles make it easy to position skids at a working height. They allow you to quickly move product from area to area and position at the optimal working level.



- **Scissor Lifts, Lift Tables & Tilters**

Handle-It® quick ship Scissor Lift Tables are affordable ergonomic machines assembled with quality components.





### Sales Policies

Handle It, Inc. prices are subject to change without notice. Handle It, Inc. also reserves the right to alter product specifications, designs and shipping weight without notice. Customer service staff is available to provide written quotations for all products upon request.

### Credit Policy

Standard terms of payment are net 30 days from date of invoice with approved credit. Terms for specially designed products require a 1/3 non-refundable deposit with the order and the remainder at net 30 days from invoice date. New distributors are required to use a valid credit card or prepay their first order prior to shipment. Handle It, Inc. will not release any orders to distributors who have outstanding balances over 60 days from the invoice date. Handle It, Inc. reserves the right to charge a 1.5% per month fee on outstanding balances over 30 days from the invoice date.

### Shipping Policy

All products are shipped FOB Factory; Milwaukee, WI; or Ontario, CA. Freight charges will be billed as specified on the purchase order. Parts weighing 70 lbs. or less will ship via UPS Ground, pre-paid & add, unless otherwise requested. Parts orders greater than 70 lbs. will be shipped common carrier. Published shipping weights may fluctuate due to options and/or packing material. Handle It, Inc. reserves the right to add a handling charge to all parts orders. Handle It, Inc. is not responsible for loss or damage in transit. It is the responsibility of the receiver (consignee) to inspect for damage and file claims against the carrier. Handle It, Inc. will assist the consignee whenever possible in filing freight claims.

### Order Change Policy

If a purchase order for unshipped standard or modified product is changed within seven calendar days after the receipt of the purchase order, there will be no charge. However, if a change is required for an unshipped unit from the eighth calendar day following the receipt of the purchase order, a surcharge will be assessed. In the event that the material unique to the purchase order has been purchased or manufactured, regardless of the time frame, and a change is required that eliminates the need for the purchased or manufactured material, the cost of the material as well as a surcharge will be added to the purchase order. All cancellations of purchase orders may be subject to a cancellation fee based on the stage of production. If a cancellation is received on the day of shipment, the Handle It, Inc. restocking fee will apply. Cancellation of customer engineered products will result in forfeiture of deposit plus any additional applicable fees.

### Restocking Policy

The goal of Handle It, Inc. is for the customer to be satisfied with their order. With the exception of custom ordered items, merchandise may be returned, but is subject to a minimum 20% restocking fee. Before returning any products, please review the Return Goods Authorization Procedures and contact the customer service staff at Handle It, Inc. for instructions.

Contact customer service to request an RGA number for any goods to be returned at 800-236-1080.

### Limited Warranty Policy

Handle It, Inc. provides a 3 year warranty from delivery date to be free from defects in materials and workmanship as described below. This warranty covers all of Handle It products (excluding SWM-MR-3000, which is a 1 year warranty) and assumes normal service will be performed by the user outlined in the owner's manual. This warranty also assumes frequency of use of this product will not exceed the parameters outlined in the owner's manual.

During the warranty period, defects in material or workmanship may be repaired or replaced at the discretion of Handle It, Inc. Rollers are not warranted against physical damage, corrosion, abuse or negligence. Wear parts such as belts, fuses, light bulbs, circuit breakers, brakes, motor brushes, slip ring brushes, etc. are excluded from this warranty.

Proof of purchase if required for warranty. The charge for shipping the defective components is the responsibility of the buyer; the shipment must be accompanied by an RGA number. The shipping charge to return the component to the buyer is the responsibility of Handle It, Inc. This limited warranty does not cover labor expenses for removal or reinstallation of components.

This limited warranty shall not cover, among other things, damages resulting from foreign matter or water, or failure to follow operating instructions. The limited warranty is not valid for damage resulting from negligence, accident, unreasonable use, abuse or misuse, exceeding rating plate capacities or altering the product without Handle It, Inc. written authorization.

Handle It, Inc. makes no representation that this product complies with local, state, or federal safety/product standards or codes. Should this product fail to comply in any way with those codes, it shall not be considered a defect of materials or workmanship. Handle It, Inc. shall not be held liable for any damages resulting from noncompliance. It is the distributor's responsibility to exercise this limited warranty. This limited warrant is provided to the original purchaser (defined as the original end user) and is not transferable.

Exceptions: All motors and gearboxes on all models carry a standard one (1) year limited manufacturers warranty.

Damage in transportation: Damage in transport is the responsibility of the carrier and is not covered under this warranty.

This constitutes the complete and final statement involving Handle It, Inc. and the company's limited warranty obligations for Handle It® brand products.

©2018 Handle It, Inc. All rights reserved.

#### Distributed by:

Handle It, Inc.

12247 W. Fairview Ave.

Milwaukee, WI 53226

Phone: 800-236-1080 | Fax: 414-453-9975

www.handleitinc.com